

FLOOR MOUNT **INTERACTIVE** ANDROID KIOSK

capital**infoart**[®]

Enjoy seamless **Cloud Network**
for every single device with **FREE**
Content Management Software



Key Features

- Open **Android 11** and above
- **Third Party** Apk support
- Content Management System by **LAN | Cloud**
- **U-Disk/USB** Playback System
- Built-in **Audio**
- Built-in **Bluetooth | Wi-Fi**
- 10 points **Capacitive Touch**
- Support Vertical / Horizontal **split screen**
- **4K** open cell panel with **500 nits** brightness

Application Area

Healthcare | Educational Institutions | Galleria
Hotels & Restaurants | Financial Institutions
Entertainment Zone | Corporate Area
Shopping Malls | Reception and Lounge Area

V31

Sizes Available

24 | 27 | 32 | 43

www.capitalsignage.com

Display Panel Specifications

| Features | Model No. 270T-FML | Model No. 321T-FML | Model No. 431T-FML |
|----------------------------|-----------------------------------|-----------------------------------|-----------------------------------|
| Panel Size | 27 inch | 32 inch | 43 inch |
| Panel Type | IPS | IPS | IPS |
| Resolution | 1080 x 1920 | 1080 x 1920 | 1080 x 1920 / 2160 x 3840 |
| Contrast Ratio | 1200 : 1 | 1200 : 1 | 1200 : 1 |
| Viewing Angle | 178° | 178° | 178° |
| Luminance | 300 nits | 400 nits | 500 nits |
| Aspect Ratio | 16 : 9 9 : 16 | 16 : 9 9 : 16 | 16 : 9 9 : 16 |
| Display colors | 16.7 M (8 bits - true) colors | 16.7 M (8 bits - true) colors | 16.7 M (8 bits - true) colors |
| Display mode | Transmission mode, Normally Black | Transmission mode, Normally Black | Transmission mode, Normally Black |
| Active area (W x H) (mm) | 336.1 x 597.6 | 392.8 x 698.4 | 529.25 x 940.89 |
| Operating Temperature | 0 °C - +50 °C | 0 °C - +50 °C | 0 °C - +50 °C |
| Storage Temperature | -20 °C - +60 °C | -20 °C - +60 °C | -20 °C - +60 °C |
| Operating Ambient Humidity | 10%RH - 80%RH | 10%RH - 80%RH | 10%RH - 80%RH |
| Storage Humidity | 10%RH - 80%RH | 10%RH - 80%RH | 10%RH - 80%RH |

Electrical & Physical Specifications

| Electrical & Physical specification | | | 27" | 32" | 43" |
|-------------------------------------|------------------------------|---------------------------|----------------------------|----------------------------|-----------------------------|
| Input Power Supply | 220 V - 240 V 1 Ph. 50 Hz | Dimensions (W x D x H) | 394.2 x 32.5 x 654 (mm) | 449.7 x 42 x 750.4 (mm) | 532.14 x 55 x 995.2 (mm) |
| Operating Voltage | 12 V DC | Base (W x D x H) | 450 x 450 x 870 (mm) | 400 x 400 x 1000 (mm) | 420 x 420 x 1000 (mm) |
| Standby | 0.5 W | Gross Weight | 14 kg | 15 kg | 16 kg |
| | | Cabinet Material | MS | MS | MS |

Hardware Specifications

| | |
|----------------------------------|---|
| CPU & Chipset | RK Quad core 1.8 Ghz Octa core 2.2 Ghz & above 64 bit high performance CPU |
| GPU | Mail-G55/T864/T764 (Optional) high performance GPU |
| Memory | Default 2 GB 4 GB 8 GB (Optional) |
| Built-in storage capacity | Default 32 GB 64 GB 128 GB (Optional) |
| Network | Adaptive 10/100 mbps 100/1000 mbps Ethernet |
| Wifi | Support 2.4G / 5G, Wi-Fi, support Wi-Fi 802.11b/g/n protocols |
| Image rotation | Support manual rotation of 0 degree, 90 degree, 180 degree, 270 degree |
| Display | TFT LCD Professional Signage Panel (Industrial Grade) 16.7M colours 8-bit colour depth 178 degree viewing angle 16 x 7 24 x 7 (Optional) operation support Ultra slim metal body |
| HDMI | HDMI (Out) / HDMI (In) optional |
| Audio | 12W x 2 speakers 3.5 mm audio out |
| Power amplifier | 2 outputs (8 ohms, 10 watts dual audio amplifier output) |
| Microphone | Differential MIC input |
| Touch screen (Optional) | Support USB multi-point infrared touch, multi-point capacitive touch, multi-point nano film touch, multi-point acoustic wave touch, multi-point optical touch and more. |
| RCT | Built-in real-time clock function |
| USB | 2 x USB (USB 3.0) |
| Infrared | Support infrared remote control function |
| LED | 1* power status LED (green), 1* system LED (green / blue blinking in default) |
| Bluetooth | Support 4.2 & above |
| I/O | Support 5 IO input and output control, can be used as key scanning control |
| Serial port | 30 pin FPC interface, Largest support 1300 w Camera |
| Power Adapter | Input : AC 100-240 V 50-60 HZ, Output : DC 12 V 1.5 A (Requires surge voltage less than 18 V and ripple voltage less than 100 mV) |
| Optional hardware | Camera, Sensor, QR Scanner, Printer etc. |

Software specifications

| | |
|---|--|
| Operating system | Android 11 and above |
| Audio | Mp3, WMA, WAV, APE, FLAC, AAC, OGG, M4A, 3GPP and other formats |
| Video | Support AVI, rm, rmvb, MKV, WMV, MOV, MP4, DAT, PMP, MPEG, MPG, FLV, ASF, TS, TP, 3GP, MPG and other formats |
| Image | Support various image formats such as JPG, BMP, PNG |
| System comes with application software | APK Installer, Email, Calculator, Browser, Recorder, Calendar, Settings, Clock, Video Player, Search, Contacts, Gallery, Download, Camera, Music, Explorer, etc. |
| Language | English / Hindi / Bengali (Support Multi-Language) |
| Input method | Standard Android Keyboard with optional third-party input method |
| System Management | Original ecological Android system, open root permissions, and can customize product development Real-time remote monitoring, system crash self-recovery, unattended 16 x 7 hours (24 x 7 Optional) Support OTA remote upgrade; support U disk upgrade Support server / stand-alone mode switching Support WI-Fi hotspot |
| System watchdog | Support software watchdog |

Available sizes 27 | 32 | 43 inch

Other Floor Mount Standee



Interactive Service Kiosk

Interactive Android Kiosk

Interactive Windows Kiosk

For further correspondence,

+91 94330 01288 | +91 97761 98155
+91 90077 73730 | +91 89812 42172
www.capitalsignage.com
mail@capitalinfoart.com

Kolkata Corporate Office : 11/B, Chowringhee Terrace, Gokhale Road, Kolkata - 700 020 | INDIA
Kolkata Experience Centre : 10, Chowringhee Terrace, Gokhale Road, Kolkata - 700 020 | INDIA
Kolkata Central Workshop : BF 40, Shanti Pally, Rajdanga, Kolkata - 700 107 | INDIA
(Content Development & AV Studio) **Studio Spandan** : 51A, Rashbehari Avenue, Kolkata - 700 026, # 98744 44360
Odisha Office : **Capital Infoart**, SB-004, Grand Bazaar, Cuttack - Bhubaneswar Road, Phulnakhara, Odisha 754001, # 78945 11288

ASSOCIATES & CHANNEL PARTNERS

Kolkata - Saltlake Metropolitan | Crystal Studio, 29/1A, Ramkrishna Samadhi Road, Phoolbagan, Kolkata - 700 054, # 82408 36857
Maldah | Kixi Media, Jyoti Complex, Rabindra Avenue, Maldah 732101, WB, # 94341 54440
New Delhi | Satyam Visual Display, 2989/90, Gali No 2, Chuna Mandi, Paharganj, New Delhi - 110055 # 98180 86037
UP (Varanasi) | Sarkar & Company, N-11/60 B-24 Sree Krishna Nagar Colony, Mahamoorganj, Varanasi, U.P 221010, # 94152 27144
Assam (Guwahati) | Advise Bharat, H. No. 539, Lokhra Main Road, Jyotikuchi, Guwahati 781034 # 70022 70484 | 99544 00344
Meghalaya (Shillong) | A N Enterprise, Industrial Estate, Lumjingshai, Shillong 793008, India # 93669 51268

We are also available @

Assam | New Delhi | Odisha | Meghalaya
UP | Maharashtra | West Bengal

Follow us on
@Capitalsignage